



**Unitex**  
22 Park Drive  
Dandenong VIC 3175

Phone: (03) 9768 4900  
Fax (03) 9768 4999  
[www.unitex.com.au](http://www.unitex.com.au)

**Unitex (NSW)**  
14 Artisan Road  
Seven Hills NSW 2147

Phone: (02) 9838 0911  
Fax (02) 9838 9555  
[www.unitex.com.au](http://www.unitex.com.au)

**URW (Oakleigh)**  
1346 North Road  
Oakleigh VIC 3167

Phone: 1800 RENDER  
Fax (03) 9544 3620  
[www.render.com.au](http://www.render.com.au)

**URW (SA)**  
2/54-56 Cavan Road  
Dry Creek SA 5094

Phone: 1800 RENDER  
Fax (08) 8262 7922  
[www.render.com.au](http://www.render.com.au)

# Safety Data Sheet

## NON-Hazardous Substance, NON-Dangerous Goods

### 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

#### Product Information

Trade name: **Uni-Trowel Décor® Texture 777 White Base**  
**Uni-Trowel Décor® Texture 777 Ultra Base**  
**Uni-Trowel Décor® Texture 777 Clear Base**

Company: Unitex Australia Pty Ltd  
22 Park Drive  
Dandenong, Vic. 3175  
Australia

Telephone: +61 3 9768 4900  
Telefax: +61 3 9768 4999

Emergency telephone number: +61 3 9768 4900 (BH)

Use of the Product: water based applied acrylic texture finish for walls

---

### 2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia.

Poisons Schedule (Aust): Not applicable

#### DAANGEROUS GOODS CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".

---

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS Number	Proportion
Ingredients determined to be non-hazardous		100%

---

### 4. FIRST AID MEASURES



**Unitex**  
22 Park Drive  
Dandenong VIC 3175

Phone: (03) 9768 4900  
Fax (03) 9768 4999  
[www.unitex.com.au](http://www.unitex.com.au)

**Unitex (NSW)**  
14 Artisan Road  
Seven Hills NSW 2147

Phone: (02) 9838 0911  
Fax (02) 9838 9555  
[www.unitex.com.au](http://www.unitex.com.au)

**URW (Oakleigh)**  
1346 North Road  
Oakleigh VIC 3167

Phone: 1800 RENDER  
Fax (03) 9544 3620  
[www.render.com.au](http://www.render.com.au)

**URW (SA)**  
2/54-56 Cavan Road  
Dry Creek SA 5094

Phone: 1800 RENDER  
Fax (08) 8262 7922  
[www.render.com.au](http://www.render.com.au)

## Safety Data Sheet

If poisoning occurs, contact a doctor or Poisons Information Centre (in Australia, call 131 126).

### Inhalation

Remove victim from area of exposure – avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

### Skin Contact

If skin contact occurs, remove contaminated clothing and wash skin with running water. If swelling, redness, blistering or irritation occurs, seek medical advice.

### Eye Contact

If in eyes, wash out immediately with water. In all cases of eye contamination, it is a sensible precaution to seek medical advice.

### Ingestion

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. If vomiting occurs, give further water. Seek medical advice. Never give anything by the mouth to an unconscious person.

### PPE for First Aiders

Wear overalls, safety glasses and impervious gloves. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

### Advice to Doctor

Treat symptomatically.

---

## 5. FIRE-FIGHTING MEASURES

<b>Hazchem Code</b>	None allocated
<b>Flammability</b>	Not flammable
<b>Extinguishing media</b>	If material is involved in a fire, use water fog (or, if unavailable, fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).
<b>Hazards from combustion products</b>	Non-combustible material
<b>Special Protective Precautions &amp; Equipment for Fire Fighters</b>	Not combustible. However, following evaporation of aqueous component, residual material can burn if ignited. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to evaporated components or products of combustion.

---

## 6. ACCIDENTAL RELEASE MEASURES



**Unitex**  
22 Park Drive  
Dandenong VIC 3175

Phone: (03) 9768 4900  
Fax (03) 9768 4999  
[www.unitex.com.au](http://www.unitex.com.au)

**Unitex (NSW)**  
14 Artisan Road  
Seven Hills NSW 2147

Phone: (02) 9838 0911  
Fax (02) 9838 9555  
[www.unitex.com.au](http://www.unitex.com.au)

**URW (Oakleigh)**  
1346 North Road  
Oakleigh VIC 3167

Phone: 1800 RENDER  
Fax (03) 9544 3620  
[www.render.com.au](http://www.render.com.au)

**URW (SA)**  
2/54-56 Cavan Road  
Dry Creek SA 5094

Phone: 1800 RENDER  
Fax (08) 8262 7922  
[www.render.com.au](http://www.render.com.au)

## Safety Data Sheet

### Personal Precautions

#### Skin

Wear loose comfortable protective clothing and impervious boots. Apply barrier creams to hands or wear gloves (AS 2161). Wash thoroughly after handling. Wash clothes regularly and keep separate from other clothes.

#### Eyes

Safety spectacles with side shields or safety goggles.

### Environmental Precautions

Prevent material from entering drains and/or waterways

### Emergency procedures

If contamination of sewers or waterways has occurred, advise local emergency services.

### Methods and materials for containment and clean-up.

**Small spills:** Slippery when wet, sticky when partially dry. Avoid accidents. Clean up immediately with absorbent (clean rag or paper towels). Allow absorbent to dry before disposing with normal household garbage.

**Large spills:** Slippery when wet, sticky when partially dry. Avoid accidents. Clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of evaporated components. Work upwind or increase ventilation. Contain the spill to prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers or drums for disposal.

**Caution:** Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

---

## 7. HANDLING AND STORAGE

### Safe handling advice

Provide good ventilation or extraction.

Wear personal protective equipment.

Uni-Trowel Décor® Texture 777 is supplied in 15 kg plastic pails, with a weight of approx. 23 kg. Manual handling of this product is not recommended as this may result in personal injury. If no mechanical aids are available, a pail may be lifted and carried by 2 persons and that each has been trained in how to share the pail weight and move this type of pail.

### Storage

Uni-Trowel Décor® Texture 777 should be stored in a dry place, in the original pails.

Avoid storing in open containers to prevent thickening and skinning.

Drivers of trucks transporting Uni-Trowel Décor® Texture 777 should ensure that the pails are correctly restrained on a pallet.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure limits

#### National occupational exposure limits:

No value assigned for this specific material by Safe Work Australia.

#### Biological Limit Values:



**Unitex**  
22 Park Drive  
Dandenong VIC 3175

Phone: (03) 9768 4900  
Fax (03) 9768 4999  
[www.unitex.com.au](http://www.unitex.com.au)

**Unitex (NSW)**  
14 Artisan Road  
Seven Hills NSW 2147

Phone: (02) 9838 0911  
Fax (02) 9838 9555  
[www.unitex.com.au](http://www.unitex.com.au)

**URW (Oakleigh)**  
1346 North Road  
Oakleigh VIC 3167

Phone: 1800 RENDER  
Fax (03) 9544 3620  
[www.render.com.au](http://www.render.com.au)

**URW (SA)**  
2/54-56 Cavan Road  
Dry Creek SA 5094

Phone: 1800 RENDER  
Fax (08) 8262 7922  
[www.render.com.au](http://www.render.com.au)

## Safety Data Sheet

As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)", the ingredients in this material do not have a Biological Limit Allocated.

### Engineering measures

Use only in well ventilated areas. Keep containers closed when not in use.

### Personal Protection Equipment

Overalls, Safety Shoes, Safety Glasses, Gloves

Wear overalls, safety glasses and impervious gloves. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

If risk of inhalation exists, wear organic odour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

### Hygiene Measures:

When using, do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid skin and eye contact and inhalation of evaporated components, mists or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form	Thick grainy paste
Colour	White
Odour	faintly aromatic

### Physical data

Boiling Point	100 °C
Melting Point (°C):	0 °C
Vapour Pressure:	not applicable
% Volatiles:	6-10 %
pH value	8 - 10
Density:	1.2 – 1.4 g/cm <sup>3</sup>
Bulk Density:	Not applicable
Auto Ignition Temperature:	Not combustible

---



**Unitex**  
22 Park Drive  
Dandenong VIC 3175

Phone: (03) 9768 4900  
Fax (03) 9768 4999  
[www.unitex.com.au](http://www.unitex.com.au)

**Unitex (NSW)**  
14 Artisan Road  
Seven Hills NSW 2147

Phone: (02) 9838 0911  
Fax (02) 9838 9555  
[www.unitex.com.au](http://www.unitex.com.au)

**URW (Oakleigh)**  
1346 North Road  
Oakleigh VIC 3167

Phone: 1800 RENDER  
Fax (03) 9544 3620  
[www.render.com.au](http://www.render.com.au)

**URW (SA)**  
2/54-56 Cavan Road  
Dry Creek SA 5094

Phone: 1800 RENDER  
Fax (08) 8262 7922  
[www.render.com.au](http://www.render.com.au)

## Safety Data Sheet

### 10. STABILITY AND REACTIVITY

<b>Chemical stability:</b>	stable under normal conditions of use
<b>Conditions to avoid</b>	avoid swallowing and contact with foodstuffs
<b>Thermal decomposition</b>	no decomposition if used correctly
<b>Hazardous reactions</b>	no hazardous reactions when stored and handled according to instructions

---

### 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

#### **Inhalation:**

Where the material is used in a poorly ventilated area, at elevated temperatures or in confined spaces, evaporated components may cause irritation to mucous membranes and respiratory track, headache and nausea.

#### **Skin contact**

Contact with skin may result in irritation.

#### **Ingestion**

No adverse effects expected however large amounts may cause nausea and vomiting.

#### **Eye contact**

May be an eye irritant.

#### **Acute toxicity**

##### **Inhalation**

This material has been classified as non-hazardous.  
Acute toxicity estimate (based on ingredients): > 20 mg/L

##### **Skin contact**

This material has been classified as non-hazardous.  
Acute toxicity estimate (based on ingredients): > 2000 mg/Kg

##### **Ingestion**

This material has been classified as non-hazardous.  
Acute toxicity estimate (based on ingredients): > 2000 mg/Kg

##### **Corrosion/Irritancy**

Eye: This material has been classified as not corrosive or irritating to eyes.  
Skin: This material has been classified as not corrosive or irritating to skin.

##### **Sensitization**

Inhalation: This material has been classified as not a respiratory sensitizer.  
Skin: This material has been classified as not a skin sensitizer.



**Unitex**  
22 Park Drive  
Dandenong VIC 3175

Phone: (03) 9768 4900  
Fax (03) 9768 4999  
[www.unitex.com.au](http://www.unitex.com.au)

**Unitex (NSW)**  
14 Artisan Road  
Seven Hills NSW 2147

Phone: (02) 9838 0911  
Fax (02) 9838 9555  
[www.unitex.com.au](http://www.unitex.com.au)

**URW (Oakleigh)**  
1346 North Road  
Oakleigh VIC 3167

Phone: 1800 RENDER  
Fax (03) 9544 3620  
[www.render.com.au](http://www.render.com.au)

**URW (SA)**  
2/54-56 Cavan Road  
Dry Creek SA 5094

Phone: 1800 RENDER  
Fax (08) 8262 7922  
[www.render.com.au](http://www.render.com.au)

## Safety Data Sheet

### Aspiration hazard:

This material has been classified as non-hazardous.

### Specific target organ toxicity (single exposure):

This material has been classified as non-hazardous.

### Chronic Toxicity

### Mutagenicity:

This material has been classified as non-hazardous.

### Carcinogenicity

This material has been classified as non-hazardous.

### Reproductive toxicity (including via lactation)

This material has been classified as non-hazardous.

### Specific target organ toxicity (repeat exposure):

This material has been classified as non-hazardous.

---

## 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways

### Acute aquatic hazard

No information is available to complete an assessment.

### Long term aquatic hazard

No information is available to complete an assessment.

### Ecotoxicity

No information available.

### Persistence & Degradability

No information available.

### Bioaccumulation potential

No information available.

### Mobility

No information available.

---

## 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used. See Section 8 "Exposure Controls and Personal Protection" of this SDS.

If possible, material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.



**Unitex**  
22 Park Drive  
Dandenong VIC 3175

Phone: (03) 9768 4900  
Fax (03) 9768 4999  
[www.unitex.com.au](http://www.unitex.com.au)

**Unitex (NSW)**  
14 Artisan Road  
Seven Hills NSW 2147

Phone: (02) 9838 0911  
Fax (02) 9838 9555  
[www.unitex.com.au](http://www.unitex.com.au)

**URW (Oakleigh)**  
1346 North Road  
Oakleigh VIC 3167

Phone: 1800 RENDER  
Fax (03) 9544 3620  
[www.render.com.au](http://www.render.com.au)

**URW (SA)**  
2/54-56 Cavan Road  
Dry Creek SA 5094

Phone: 1800 RENDER  
Fax (08) 8262 7922  
[www.render.com.au](http://www.render.com.au)

## Safety Data Sheet

---

### 14. TRANSPORT INFORMATION

#### Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail."  
**NON DANGEROUS GOODS.**

#### Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.  
**NON DANGEROUS GOODS.**

#### Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.  
**NON DANGEROUS GOODS**

---

### 15. REGULATORY INFORMATION

<b>Australian Legislation</b>	NON-Hazardous according to criteria of Safe Work Australia
<b>Poison schedule</b>	Not listed
<b>Registration</b>	
Australia (AICS)	Listed/registered
New Zealand (ERMA)	Listed/registered

---

### 16. OTHER INFORMATION

**Date amended and issued;** 2nd July 2021  
**Replaced issue of;** 2<sup>nd</sup> November 2016

Prepared in accordance with the Safe Work Australia national model "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals" (July 2020)

END OF REPORT



**Unitex**  
22 Park Drive  
Dandenong VIC 3175

Phone: (03) 9768 4900  
Fax (03) 9768 4999  
[www.unitex.com.au](http://www.unitex.com.au)

**Unitex (NSW)**  
14 Artisan Road  
Seven Hills NSW 2147

Phone: (02) 9838 0911  
Fax (02) 9838 9555  
[www.unitex.com.au](http://www.unitex.com.au)

**URW (Oakleigh)**  
1346 North Road  
Oakleigh VIC 3167

Phone: 1800 RENDER  
Fax (03) 9544 3620  
[www.render.com.au](http://www.render.com.au)

**URW (SA)**  
2/54-56 Cavan Road  
Dry Creek SA 5094

Phone: 1800 RENDER  
Fax (08) 8262 7922  
[www.render.com.au](http://www.render.com.au)

## Safety Data Sheet

This information contained herein relates only to the specific material identified. Unitex Australia Pty Ltd believes that such information is accurate and reliable as of the date of this safety data sheet, but no representation, guarantee or warranty, expressed or implied, is made to the accuracy, reliability or completeness of the information. Unitex urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application