



HEAD OFFICE
22 Park Drive
Dandenong VIC 3175

Phone: (03) 9768 4900
Fax (03) 9768 4999
www.unitex.com.au

NSW OFFICE
14 Artisan Road
Seven Hills NSW 2147

Phone: (02) 9838 0911
Fax (02) 9838 9555
www.unitex.com.au

RENDER WAREHOUSE

Phone: 1800 RENDER
www.render.com.au

Material Safety Data Sheet

PRODUCT: Unitex® Tanami
DATE OF ISSUE: 24 February 2015

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Information

Trade name: **Unitex® Tanami**

Company: Unitex Granular Marble Pty Ltd
22 Park Drive
Dandenong, Vic. 3175
Australia

Telephone: +61 3 9768 4900
Telefax: +61 3 9768 4999

Emergency telephone Number: +61 3 9768 4900 (BH)

Use of the Product: Water based trowel applied pre-coloured surface effect finish for walls

2. HAZARDS IDENTIFICATION

Not classified as hazardous according to the criteria of NOHSC.

Not classified as dangerous goods according to the Australian Code for Transport of Dangerous Goods.

UN Number: Not Applicable

Hazchem Code: Not Applicable

Poisons Code: Not Applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Non Hazardous Ingredients	CAS Number	Proportion
Water	7732-18-5	15-20 %
Acrylic Emulsion Polymer	proprietary	6-10 %
Pigments, Fillers	proprietary	65-75 %
Organic functional additives	proprietary	2-4 %



HEAD OFFICE
22 Park Drive
Dandenong VIC 3175

Phone: (03) 9768 4900
Fax (03) 9768 4999
www.unitex.com.au

NSW OFFICE
14 Artisan Road
Seven Hills NSW 2147

Phone: (02) 9838 0911
Fax (02) 9838 9555
www.unitex.com.au

RENDER WAREHOUSE

Phone: 1800 RENDER
www.render.com.au

4. FIRST AID MEASURES

Inhalation

Remove victim from area of exposure – avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact

If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs, seek medical advice.

Eye Contact

If in eyes, wash out immediately with water. In all cases of eye contamination, it is a sensible precaution to seek medical advice.

Ingestion

Rinse mouth with water. If swallowed, give a glass of water to drink. Seek medical advice.

Advice to Doctor

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Hazards from combustion products

Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. On burning, toxic fumes may be emitted.

Precautions for fire fighters and special protective equipment

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

Suitable Extinguishing Media

Not combustible. However, if material is involved in a fire, use fine water spray, normal foam or dry agents such as carbon dioxide or dry chemical powder.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures

If contamination of sewers or waterways has occurred, advise local emergency services.

Methods and materials for containment and clean-up

Small spills: Slippery when wet, sticky when partially dry. Avoid accidents. Clean up immediately. Collect in a container for disposal via special chemical waste collection.

Large spills: Slippery when wet, sticky when partially dry. Avoid accidents. Clean up immediately. Contain the spill to prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers or drums for disposal.



HEAD OFFICE
22 Park Drive
Dandenong VIC 3175

Phone: (03) 9768 4900
Fax (03) 9768 4999
www.unitex.com.au

NSW OFFICE
14 Artisan Road
Seven Hills NSW 2147

Phone: (02) 9838 0911
Fax (02) 9838 9555
www.unitex.com.au

RENDER WAREHOUSE

Phone: 1800 RENDER
www.render.com.au

7. HANDLING AND STORAGE

Storage Conditions

Store in a cool place and out of direct sunlight. Keep containers closed when not in use – check regularly for leaks. Keep from freezing as material may coagulate. The minimum recommended storage temperature for this material is 1°C. The maximum recommended storage temperature for this material is 49°C.

Safe handling advice

Provide good ventilation or extraction.

Wear personal protective equipment.

Unitex® Tanami is supplied in 10 litre pails with a weight of approx. 12 kg. This product is not subject to manual handling restrictions. However, where possible the use of mechanical lifting aids is preferred. Ensure that everyone handling this product has been trained in how to lift and move this type of pail.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits	None.
Ventilation	Provide adequate ventilation. If using indoors, keep windows and doors open during use. Keep containers closed when not in use.
Personal Protection	Overalls, Safety shoes, safety glasses, gloves
Protective Equipment:	<p>Respiratory Protection: None required under normal operating conditions. When mist occurs during spraying operations, wear a AS1716 approved (or equivalent) disposable half-mask, dust/mist respirator.</p> <p>Eye Protection: Use chemical splash goggles (AS1337 or approved equivalent).</p> <p>Hand Protection: Use neoprene gloves. Gloves of other chemically-resistant materials may not provide adequate protection.</p>
Manufacture, Packaging and Transport	Wear overalls, safety glasses and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.



HEAD OFFICE
22 Park Drive
Dandenong VIC 3175

Phone: (03) 9768 4900
Fax (03) 9768 4999
www.unitex.com.au

NSW OFFICE
14 Artisan Road
Seven Hills NSW 2147

Phone: (02) 9838 0911
Fax (02) 9838 9555
www.unitex.com.au

RENDER WAREHOUSE

Phone: 1800 RENDER
www.render.com.au

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	Thick paste
Colour	Multi-coloured
Odour	Faintly aromatic

Physical data

Boiling Point	100 °C
Melting Point (°C):	0 °C
Vapour Pressure:	not applicable
% Volatiles:	1-3 %
pH value	8 - 10
Density:	1.2 – 1.3 g/cm ³
Bulk Density:	Not applicable
Auto Ignition Temperature:	Not combustible

10. STABILITY AND REACTIVITY

Chemical stability:	Stable under normal conditions of use
Conditions to avoid	Avoid swallowing. Avoid contact with foodstuffs
Thermal decomposition	No decomposition if used correctly
Hazardous reactions	No hazardous reactions when stored and handled according to instructions



HEAD OFFICE
22 Park Drive
Dandenong VIC 3175

Phone: (03) 9768 4900
Fax (03) 9768 4999
www.unitex.com.au

NSW OFFICE
14 Artisan Road
Seven Hills NSW 2147

Phone: (02) 9838 0911
Fax (02) 9838 9555
www.unitex.com.au

RENDER WAREHOUSE

Phone: 1800 RENDER
www.render.com.au

15. REGULATORY INFORMATION

Australian Legislation	Non-Hazardous according to criteria of NOHSC..
Poison schedule	Not listed
Registration	
Australia (AICS)	Listed/registered
New Zealand (ERMA)	Listed/registered

16. OTHER INFORMATION

Date amended and issued 24th February 2015

Prepared in accordance with the National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition (NOHSC: 2011 (2003))

END OF REPORT

This information contained herein relates only to the specific material identified. Unitex Granular Marble Pty Ltd believes that such information is accurate and reliable as of the date of this material safety data sheet, but no representation, guarantee or warranty, expressed or implied, is made to the accuracy, reliability or completeness of the information.

Unitex® urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application.